# SECRET Approved For Release 2000/04/17 CFA-RDP78B04560A003800010013r3<sub>C</sub>/R-1413/64


PHOTOGRAPHIC INTERPRETATION REPORT

September 1964

# MISSION COVERAGE INDEX MISSION 5006 3 SEPTEMBER 1964



# NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3

# Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3



### WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

SECRET NO FOREIGN DISSEM

Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3

NPIC/R-1413/64

25X1A

PREFACE

THIS MISSION COVERAGE: INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF MISSION 5006 DATED 3 SEPTEMBER 1964 COVERING CHINA. ITEMS ARE ARRANGED IN THREE SECTIONS —

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH SECTION ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO

NPIC/R-1413/64

SECRET NO FOREIGN DISSEM Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3

REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE USATC SERIES 200, 1/200,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3 SECTION I THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVI-OUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

**SECRET** NO FOREIGN DISSEM Approved For Release 2000/04/17: CIA-RDP78B04560A003800010013-3 NPIC/R-1413/64 Target Numbers Coordinates WAC -CHINA-AIR INSTALLATIONS 25X1A CHAN-CHIANG AIRFIELD 2113N 11020E 0615 3 NM NW OF CHAN-CHIANG. 1-E 25X1D NO APPARENT CHANGE: IN FACILITIES SINCE MISSION 25X1A AIRCRAFT -- ONE CAB. COMOR TARGET NO 25X1D LEI-PEI AIRFIELD 2124N 11012E Ø615 3 NM WNW OF LEI-PEI. 17 25X1D NO APPARENT CHANGE IN FACILITIES SINCE MISSION AIRCRAFT -- 45 FAGOT/FRESCO, ONE CAB, AND 4 UNIDENTIFIED. 25X1A (SEE ATTACHMENT 1) 25X1D COMOR TARGET NO LING-SHUI AIRFIELD 183ØN 10959E Ø618 2-A 3 NM NW OF LING-SHUI. NO APPARENT CHANGE IN FACILITIES SINCE 25X1D MISSION AIRCRAFT -- 31 FAGOT/FRESCO (3 WITH TAIL SECTIONS REMOVED). 25X1A (SEE ATTACHMENT 2) COMOR TARGET NO 25X1D

**SECRET** 

3

,	NO FOREIGN DISSEM	RDP78B04560A0038		WAC	Target Numbers	
	Target		Coordinates		BE	NPIC
	)- 4,					
	MILITARY INSTALLATIONS					
	LEI-PEI AREA, MILITARY AREAS FOUR MILITARY AREAS IN LEI-PEI VICINITY.	2122N	11016E	Ø615		35
	AREA A NOT COVERED.				9	
(1D	AREAS B. C. AND D NO APPARENT CHANGE		1Ø937E		*	
	YU-LIN AREA, MILITARY INSTALLATIONS TWO MILITARY AREAS IN YU-LIN VICINITY (REFERENCED FROM YU-LIN).	182ØN		Ø618		32
	AREA A (7.4 NM NE) 3 CLOSELY ASSOCIATED AREAS CONTAIN A TOTAL OF 38 BARRACKS, 17 PROBABLE BARRACKS, 8 ADMINISTRATION BUILDINGS, 12 SUPPORT BUILDINGS, AND 9 PROBABLE SUPPORT BUILDINGS.					
X1D	AREA B (7.6 NM NNW) 3 CLOSELY ASSOCIATED AREAS CONTAIN A TOTAL OF 8 MULTISTORY BARRACKS, 8 SINGLE-STORY BARRACKS, 2 ADMINISTRATION BUILDINGS, 2 MESS HALLS, 8 VEHICLE SHEDS, AND 19 SUPPORT BUILDINGS. FOUR CARGO TRUCKS, ONE UNIDENTIFIED VEHICLE, AND 4 FA PIECES OBSERVED.			×.		
	BASIC SERVICES LO-TUNG AREA, DAM 9 NM SW OF LO-TUNG.	1837N	10904E	Ø618		23

Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3

NPIC/R-1413/64 **SECRET** Approved For Release 2000/04/17: CIA-RDP78B04560A003800010013-3 NO FOREIGN DISSEM Target Numbers Coordinates Target NPIC BE EARTHEN DAM APPEARS COMPLETED. 25X1D NO POWER PLANT OBSERVED. 25X1A URBAN COMPLEXES 9 Ø618 1814N 1Ø93ØE YU-LIN COMPLEX PORT CITY ON THE SOUTH COAST OF HAI-NAN TAO (ISLAND) WITH A NAVAL BASE AND 2 COMMERCIAL HARBORS. VESSELS -- NONE OBSERVED. 25X1D

SECRET

Approved For Release 2000/04/17: CIA-RDP78B04560A003800010013-3

# SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

-CHINA-MILITARY INSTALLATIONS 1823N 10950E Ø618 LING-SHUI AREA, BARRACKS 1841N 11009E Ø618

Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3

SECRET

NO FOREIGN DISSEM

25X1D TENG-CHIAO AREA, MILITARY ACTIVITY 30-A 25X1D 2-H **ELECTRONICS/COMMUNICATIONS** SHANG-KOU AREA, RADAR SITE 25X1D 1832N 1Ø845E Ø618 1Ø-C LING-SHUI AREA, RADIO STATION 1826N 11002E 0618 2-C 25X1D INDUSTRY 25X1D HO-SHENG AREA, PROBABLE LIGHT INDUSTRY 1926N 1Ø921E Ø618 15-A

SECRET NO FOREIGN DISSEM

NPIC/R-1413/64

NPIC

Target Numbers

BE

WAC

Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3

SECTION III

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

Г	Approved For Release 2000/04/17 . CIA	RDP78B04560A0038		WAC	Larget Numbers		
-	Target	Coordi	Coordinates		BE	NPIC	
	-CHINA-	9					
	MILITARY INSTALLATIONS						
X1A	CHAN-CHIANG AREA, MILITARY INSTALLATION COMOR TARGET NO	2116N	11Ø19E	Ø615	,	1-	
X1D				a. 1.0	25X1A	5-	
X1D	YAI-HSIEN ARMY BARRACKS NORTHEAST	1819N	1Ø931E	Ø618	м.	<b>5</b> -	
X1D	LING-SHUI, POSSIBLE MILITARY BARRACKS AREA	1831N	11002E	Ø618		2-	
	URBAN: COMPLEXES						
X1D	HSIN-CHOU COMPLEX	1943N	10918E	Ø618		. 7	

NPIC/R-1413/64

### SECRET 10 FOREIGN DISSEM

# Approved For Release 2000/04/17 : CIA-RDP78B04560A003800010013-3

### **APPENDIX**

### COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

Coordinates -- Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

## COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

### PHOTO REFERENCE DATA

The photo reference data indicates the frame (s) on which the installation appears.

# CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).